

TECHNICAL DATA SHEET

en

Name of product:

FAXE Hardwood Oil 0279

Type of product:	FAXE Hardwood Oil based on vegetable oil, active substances and when necessary, light-resistant pigments.
Application:	FAXE Hardwood Oil is used as treatment and rehabilitation of garden furniture made of wood.
Properties:	FAXE Hardwood Oil protects the wood against climatic influences. The pigments complement the color of the tree and prevent the wood from a premature aging. Structure and drawing preserved by treatment with FAXE Hardwood Oil while providing effective UV protection.

Solids:	57 weight %	48 vol. %
----------------	-------------	-----------

Pre-treatment: Wooden furniture is cleaned with FAXE Wood Cleaner Outdoor and must then dry.

Application:

Method:	Recommended viscosity:	Thinner:
Paint Brush	No thinning required	-
Oil absorbing cloths	No thinning required	-
hand scrub	No thinning required	-

Drying:

	Drying time	Film thickness - dry
Dry to touch	24 hours 20 °C	-

The surface is, depending on climate, hardened and solid after approx. 1-2 days. During curing protect the wood against water.

System Specification:

Application:

- * Stir the product thoroughly before and during use. If several containers containing identical product are to be used, they should be mixed together first in order to ensure a uniform result.
- * The oil is coated evenly and let it stay on for 15 minutes. By highly absorbent wood repeat this if necessary several times. The oil is rubbed into the wood grain by hand scrubs.
- * Possibly excess oil is wiped off.

Coverage:	Theoretical: 10 m ² /ltr.
Storage:	Frostfree, cool, and closed.
Shelf-life:	24 Months in an unopened container
Working temperature	The work must not be carried out in direct sunlight or heat, but in dry weather. Working temperature min. 15°C.
Cleaning:	Tools clean with white spirit 79120.

Note:

After Care:

Clean the surface 1-2 times a year with FAXE Wood Cleaner Outdoor. If required, it may subsequently be refreshed on the surface with FAXE Hardwood Oil.

This information is based on our present state of knowledge and is intended to provide general notes on our products and their use. It should not, therefore, be construed as guaranteeing specific properties of the product described or its suitability for a particular application. The quality of our products is guaranteed under our General Conditions of Sale.

Product Name: FAXE Hardwood Oil 0279

Date of revision: 10.03.2026. Replace: 31.08.2021

Page 2/2

Version no.: 12

TLF. +45 75 12 86 00

e-mail: info@efapaint.dk

www.efapaint.dk